# Claims:

# 1. Cationic dye of formula (1) or (1a)

### wherein

A is an organic radical of formula (2) or (3)

$$\begin{array}{c|c}
R_{1} \\
X \\
X \\
R_{2}
\end{array}$$

$$\begin{array}{c|c}
R_{1} \\
X \\
R_{1}
\end{array}$$

$$\begin{array}{c|c}
R_{1} \\
X \\
\end{array}$$

$$\begin{array}{c|c}
R_{1} \\
\end{array}$$

$$\begin{array}{c|c}
R_{1} \\
\end{array}$$

$$\begin{array}{c|c}
X \\
\end{array}$$

## wherein

 $R_1$  and  $R_2$  are each independently of the other unsubstituted or substituted  $C_1$ - $C_{14}$ alkyl or an aryl radical,

 $R_3$  is hydrogen, unsubstituted or substituted  $C_1$ - $C_{14}$ alkyl, unsubstituted or substituted  $C_1$ - $C_{14}$ alkoxy, cyan or halogenid,

 $R_4$  is hydrogen, unsubstituted or substituted  $C_1$ - $C_{14}$ alkyl or an aryl radical, and

X is an anion.

# 2. Cationic dye according to claim 1, wherein

 $R_1$  and  $R_2$  are each independently of the other unsubstituted or substituted  $C_1$ - $C_6$ alkyl or unsubstituted or substituted benzyl,

 $R_3$  is hydrogen, unsubstituted or substituted  $C_1$ - $C_6$ alkyl, unsubstituted or substituted  $C_1$ - $C_6$ alkoxy, cyan or chlorid,

R₄ is hydrogen, unsubstituted or substituted C₁-C₅alkyl or unsubstituted or substituted benzyl, and

X<sup>-</sup> is an anion.

3. Cationic dye according to anyone of claims 1 and 2, wherein

 $R_1$  and  $R_2$  are each independently of the other unsubstituted or substituted  $C_1$ - $C_6$ alkyl or unsubstituted or substituted benzyl,

R<sub>3</sub> is hydrogen,

 $R_4$  is hydrogen, unsubstituted or substituted  $C_1$ - $C_6$ alkyl or unsubstituted or substituted benzyl, and

X is an anion.

4. Cationic dye according to anyone of claims 1 to 3 of formula (4), (5), (6), (7), (8), (9), (10), (11) or (12)

$$H_3C$$
 $N-N$ 
 $N-N$ 
 $CH_3$ 
 $2X$ 
 $(4)$ 

2X-

$$\begin{array}{c|c} & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & \\ & & \\ &$$

2X<sup>-</sup>

$$H_3C$$
 $N-N$ 
 $CH_3$ 
 $CH_3$ 
 $N-N$ 
 $N$ 
 $N-N$ 
 $N-N$ 
 $N-N$ 
 $N-N$ 
 $N$ 
 $N$ 

2X-

$$\begin{array}{c} H_3C \\ N-N \end{array} \begin{array}{c} N^{+} \\ N-N \end{array} \begin{array}{c} CH_3 \\ N-N \end{array} \begin{array}{c} CH_3$$

wherein

X is an anion.

- 5. Cationic dye according to anyone of claims 1 and 4, wherein the anion is halide, sulfate, hydrogen sulfate, phosphate, boron tetrafluoride, carbonate, bicarbonate, oxalate, C<sub>1</sub>-C<sub>8</sub>alkyl sulfate, lactate, formate, acetate, propionate or a complex anion.
- 6. A process for the preparation of cationic dyes according to claim 1, which comprises reacting a compound of formula (13),

$$\begin{array}{c}
R_1 \\
N \\
N \\
X \cdot R_1
\end{array}$$

$$\begin{array}{c}
N \\
N \\
N \\
\end{array}$$

$$\begin{array}{c}
R_8 \\
\end{array}$$
(13)

wherein

 $R_1$  is an unsubstituted or substituted  $C_1$ - $C_{14}$ alkyl or an aryl radical,  $R_8$  is  $C_1$ - $C_6$ alkoxy or halide, preferred halides are chloride or fluoride, and  $X^-$  is an anion,

with a compound of formula (14) or (15)

$$H_2N$$

$$NH_2$$

$$NH_2$$

$$NH_2$$

$$(15) \text{ or }$$

or

reacting a compound of formula (21),

$$\begin{array}{c}
R_1 \\
N \\
N \\
X \cdot R_1
\end{array}$$

$$\begin{array}{c}
N \\
N \\
\end{array}$$

$$\begin{array}{c}
R_{10} \\
\end{array}$$
(21)

wherein

R<sub>1</sub> is an unsubstituted or substituted C<sub>1</sub>-C<sub>14</sub>alkyl or an aryl radical,

 $R_{10}$  is  $-NH_2$ , and

X is an anion,

with a compound of formula (19) or (20)

wherein

R<sub>9</sub> is C<sub>1</sub>-C<sub>6</sub>alkoxy or halide.

7. A process for the preparation of a cationic dye according to claim 1, which comprises a) reacting a phenylhydrazine of formula (16),

$$H_2N-N$$
 $R_2$ 
(16)

wherein

 $R_2$  is an unsubstituted or substituted  $C_1$ - $C_{14}$ alkyl or an aryl radical, and  $R_3$  is hydrogen, unsubstituted or substituted  $C_1$ - $C_{14}$ alkyl, unsubstituted or substituted  $C_1$ - $C_{14}$ alkoxy, cyan or halogenid,

with a 4-pyridine acyl compound of formula (17)

wherein

 $R_4$  is hydrogen, unsubstituted or substituted  $C_1$ - $C_{14}$ alkyl or an aryl radical; in the presence of an acid, and to form a hydrazon of formula (18),

b) and then, reacting the hydrazon of formula (18) with a compound of formula (19) or (20)

wherein

R<sub>9</sub> is C<sub>1</sub>-C<sub>6</sub>alkoxy or halide, preferred halides are chloride, bromide or fluoride.

- 8. A composition comprising at least a single cationic dye of formula (1) and/or (1a) as defined above in claim 1, or prepared by a process according to anyone of claims 6 und 7.
- 9. A composition according to claim 8 comprising in addition at least a single further direct dye and/or an oxidative agent.
- 10. A composition according to anyone of claims 8 and 9 comprising in addition at least a single oxidative dye and/or; at least a single oxidative dye and an oxidative agent.
- 11. A composition according to anyone of claims 8, 9 or 10 in form of a shampoo, gel or emulsion.
- 12. A method of dyeing organic material, that comprises bringing into contact with the organic material at least a single a cationic dye of formula (1) and/or (1a) according to claims 1 to 5, or a composition according to claims 8 to 11, or a cationic dye as prepared according to claims 6 and 7, and, optionally, a further dye.
- 13. A method according to claim 12 for dyeing or tinting human hair.

- 14. A method for dyeing human hair or strands according to anyone claims 12 or 13, that comprises contacting the hair with at least a single a cationic dye of formula (1) and/or (1a) as defined in claim 1 and an oxidative agent and, optionally, a further direct dye.
- 15. A method for dyeing human hair according to anyone of claims 12 to 14, that comprises contacting the hair with at least a single a cationic dye of formula (1) and/or (1a) as defined in claim 1 and at least a single oxidative dye; or contacting the hair with a cationic dye of (1) and/or (1a) as defined in claim 1 and at least a single oxidative dye and an oxidative agent.
- 16. A method for dyeing human hair according to anyone of claims 12 to 15, that comprises contacting the hair
- a) with at least a single cationic dye of formula (1) and/or (1a) as defined in claim 1 and with at least a single developer compound, coupler compound and oxidizing agent, and b) then, contacting the hair with an acid and optionally with at least a single cationic dye of formula (1) and/or (1a) as defined in claim 1 and/or at least a single developer compound,
- 17. A method according to claim 12 for dyeing or paper.

coupler compound and/or at least a single oxidizing agent.